

GCSE

Mathematics A

Unit **A503/02**: Mathematics C (Higher Tier) Paper 1

General Certificate of Secondary Education

Mark Scheme for June 2014

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.
















All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

OCR will not enter into any discussion or correspondence in connection with this mark scheme.

© OCR 2014

These are the annotations, (including abbreviations), including those used in scoris, which are used when marking

Annotation	Meaning
	Blank Page – this annotation must be used on all blank pages within an answer booklet (structured or unstructured) and on each page of an additional object where there is no candidate response.
	Correct
	Incorrect
	Benefit of doubt
	Follow through
	Ignore subsequent working (after correct answer obtained), provided method has been completed
	Method mark awarded 0
	Method mark awarded 1
	Method mark awarded 2
	Accuracy mark awarded 1
	Independent mark awarded 1
	Independent mark awarded 2
	Misread
	Special case
	Omission sign

The **M**, **A**, **B**, etc annotations must be used on your standardisation scripts for responses that are not awarded either 0 or full marks. It is vital that you annotate these scripts to show how the marks have been awarded. It is not mandatory to use annotations for any other marking, though you may wish to use them in some circumstances.

Subject-Specific Marking Instructions

1. **M** marks are for using a correct method and are not lost for purely numerical errors.
A marks are for an accurate answer and depend on preceding **M** (method) marks. Therefore **M0 A1** cannot be awarded.
B marks are independent of **M** (method) marks and are for a correct final answer, a partially correct answer, or a correct intermediate stage.
SC marks are for special cases that are worthy of some credit.
 2. Unless the answer and marks columns of the mark scheme specify **M** and **A** marks etc, or the mark scheme is 'banded', then if the correct answer is clearly given and is not from wrong working **full marks** should be awarded.
- Do not award the marks if the answer was obtained from an incorrect method, ie incorrect working is seen and the correct answer clearly follows from it.
3. Where follow through (**FT**) is indicated in the mark scheme, marks can be awarded where the candidate's work follows correctly from a previous answer whether or not it was correct.

Figures or expressions that are being followed through are sometimes encompassed by single quotation marks after the word *their* for clarity, eg FT $180 \times (\textit{their} '37' + 16)$, or FT $300 - \sqrt{(\textit{their} '5^2 + 7^2')}$. Answers to part questions which are being followed through are indicated by eg FT 3 \times *their* (a).

For questions with FT available you must ensure that you refer back to the relevant previous answer. You may find it easier to mark these questions candidate by candidate rather than question by question.

4. Where dependent (**dep**) marks are indicated in the mark scheme, you must check that the candidate has met all the criteria specified for the mark to be awarded.
5. The following abbreviations are commonly found in GCSE Mathematics mark schemes.
 - **figs 237**, for example, means any answer with only these digits. You should ignore leading or trailing zeros and any decimal point eg 237000, 2.37, 2.370, 0.00237 would be acceptable but 23070 or 2374 would not.
 - **isw** means **ignore subsequent working** after correct answer obtained and applies as a default.
 - **nfw** means **not from wrong working**.
 - **oe** means **or equivalent**.

- **rot** means **rounded or truncated**.
 - **seen** means that you should award the mark if that number/expression is seen anywhere in the answer space, including the answer line, even if it is not in the method leading to the final answer.
 - **soi** means **seen or implied**.
6. In questions with no final answer line, make no deductions for wrong work after an acceptable answer (ie **isw**) unless the mark scheme says otherwise, indicated by the instruction 'mark final answer'.
7. In questions with a final answer line following working space,
- (i) if the correct answer is seen in the body of working and the answer given on the answer line is a clear transcription error allow full marks unless the mark scheme says 'mark final answer'. Place the annotation ✓ next to the correct answer.
 - (iii) if the correct answer is seen in the body of working but the answer line is blank, allow full marks. Place the annotation ✓ next to the correct answer.
 - (iii) if the correct answer is seen in the body of working but a completely different answer is seen on the answer line, then accuracy marks for the answer are lost. Method marks could still be awarded. Use the M0, M1, M2 annotations as appropriate and place the annotation ✗ next to the wrong answer.
8. In questions with a final answer line:
- (i) If one answer is provided on the answer line, mark the method that leads to that answer.
 - (ii) If more than one answer is provided on the answer line and there is a single method provided, award method marks only.
 - (iii) If more than one answer is provided on the answer line and there is more than one method provided, award zero marks for the question unless the candidate has clearly indicated which method is to be marked.
9. In questions with no final answer line:
- (i) If a single response is provided, mark as usual.
 - (ii) If more than one response is provided, award zero marks for the question unless the candidate has clearly indicated which response is to be marked.

10. When the data of a question is consistently misread in such a way as not to alter the nature or difficulty of the question, please follow the candidate's work and allow follow through for **A** and **B** marks. Deduct 1 mark from any **A** or **B** marks earned and record this by using the MR annotation. **M** marks are not deducted for misreads.
11. Unless the question asks for an answer to a specific degree of accuracy, always mark at the greatest number of significant figures even if this is rounded or truncated on the answer line. For example, an answer in the mark scheme is 15.75, which is seen in the working. The candidate then rounds or truncates this to 15.8, 15 or 16 on the answer line. Allow full marks for the 15.75.
12. Ranges of answers given in the mark scheme are always inclusive.
13. For methods not provided for in the mark scheme give as far as possible equivalent marks for equivalent work. If in doubt, consult your Team Leader.
14. Anything in the mark scheme which is in square brackets [...] is not required for the mark to be earned, but if present it must be correct.

Question		Answer	Marks	Part Marks and Guidance	
1	(a)	26.5	3	$\frac{15.9}{6} \times 10$ oe Or M1 for $\frac{15.9}{6}$ soi by 2.65	
	(b)	33	3	B2 for 33.96... to 34 seen Or M1 for $\frac{90}{15.9} \times 6$ or $\frac{90}{\text{their } 2.65}$	
2	(a)	4,1 3,2 2,3 1,4 oe Final answer	1	No extras.	Not just highlighted on a diagram
	(b)	$\frac{\text{their } 4}{36}$ oe isw	2FT	B1 for 36 soi or for $\frac{4}{n}$ seen	
3		Line from (0, 0) to (4, 80) Line from (4, 80) to (7, 125) Line from (7, 125) to (9, 125) Line from (9, 125) to (14, 0)	1 1FT 1FT 1FT	Ruled straight lines (n, m) to $(n + 3, m + 45)$ (x, y) to $(x + 2, y)$ Correct gradient down to $(p, 0)$ <u>After 0</u> SC2 for 4 correct vertices Or SC1 for 2 correct vertices	Condone freehand straight Points correct 'by eye' Correct gradient 'by eye'
4	(a)	Shouldn't multiply 7 by 2 oe Should be $14 + 2$ oe Should be $12 \div 6$ oe	1 1 1	Multiplied 7 by 2 (which is wrong) He did $14 - 2$ (which is wrong) He did $6 \div 12$ (which is wrong)	Any order. Any correct statement, no contradiction.
	(b)	Sub. $\frac{1}{2}$ in correct LHS of equation and get 1	1		
5	(a)	$\frac{4}{5}$	1		

Question		Answer	Marks	Part Marks and Guidance	
	(b)	85	1		
	(c)	English with full correct work	3	Soi by eg 85% B2 for <u>any</u> two correct in the same form Or B1 for Science correct as %, frac or dec. <i>[One value may occur in (a) or (b)]</i>	$\frac{648}{840}$ oe [Sc] 0.77[1..] or 77[.1..]% or $\frac{672}{840}$ oe [Ma] 0.8[0] or 80% or $\frac{714}{840}$ oe [En] 0.85 or 85% or $\frac{714}{840}$ oe oe If fractions must be same denominator
6	(a) (i)	0.41 0.29 0.18 0.12	3	B1 for 200 soi And M1 for use of $\frac{\text{frequency}}{\text{their total}}$	At least once
	(ii)	Large sample size oe	1		
	(b)	0.3[0] oe	2	<i>-1 for poor notation</i> M1 for <i>their</i> (0.18) + <i>their</i> (0.12) soi or for $(36 + 24) \div (82+58+36+24)$ oe	Eg 0.30/1; 3 in 10 etc
	(c)	1312	2	M1 for <i>their</i> (0.41) \times 3200 soi or for $82 \div (82+58+36+24) \times 3200$ oe	Ignore rounding after correct answer
7	(a)	$150 + \frac{1}{2} \times 80$ oe	1	May be in words but must mention 150 and 40 (or $\frac{1}{2}$ of 80)	Nothing incorrect

Question		Answer	Mark	Answer
7	(b)*	Answer 1160 with commentary	7	eg Vertical strips – $5 \times 150 = 750$) Horizontal strips – $2 \times 80 = 160$) 1030 Radii – $3 \times 40 = 120$) Semi-circle – $\frac{1}{2} \times \pi \times 80 = 125.6$ to 126 Total = 1155.6 to 1156
		Answer 1160 but no commentary <u>OR</u> 1155.6 to 1156 seen with commentary	6-5	1155.6 to 1156 seen but with no commentary <u>OR</u> Correct method soi for straight total <u>AND</u> semi-circle length with commentary
		Correct method soi for straight total <u>AND</u> semi-circle length but with no commentary	4-3	Correct method soi for semi-circle length <u>AND</u> horizontal total or vertical total or radii total <u>OR</u> Correct method for straight total <u>AND</u> $\pi \times 80$ (251 to 252) soi
		Correct method soi for straight total <u>OR</u> semi-circle length	2-1	Correct method soi for horizontal total <u>OR</u> vertical total <u>OR</u> radii total <u>OR</u> $\pi \times 80$ soi
		No relevant work	0	

Question		Answer	Marks	Part Marks and Guidance
8	(a)	$7x$ final answer	2	B1 for $\frac{7x}{1}$ or for $\frac{14x}{2}$ or $\frac{7x^2}{x}$ seen
	(b)	$27y^2 - 18y + 20$ final answer	4	B2 for $15y^2 - 10y$ Or B1 for $15y^2$ or $-10y$ AND B1 for $12y^2 - 8y + 20$
	(c)	$5(2x - 3)$ final answer	1	Condone omission of right-hand bracket
	(d)	± 4	3	B2 for answer (+)4 or answer -4 or for $(\pm)\sqrt{16}$ seen or for $(x - 4)(x + 4) [=0]$ Or M1 for $x^2 = 16$ Or for $x^2 - 16 [=0]$
9	(a)	195 to 195.5	2	M1 for $\frac{4}{3} \times \pi \times 3.6^3$
	(b)	0.8 to 0.821 g/cm ³ <u>or</u> g per cm ³ <u>or</u> g per cubic cm <u>or</u> g cm ⁻³	2 1	M1 for $\frac{160}{their(a)}$

Question	Answer	Marks	Part Marks and Guidance	
10	12 500	3	$\frac{15000}{}$ M2 for 1.2 oe Or B1 for 1.2(0) or 120[%] seen	
11	2×10^5 or 2.0×10^5 or 1.96×10^5 nfw	4	B3 for 195765 rot or 1.95765×10^5 rot seen Or M2 for $\sqrt{[(2.1 \times 10^5)^2 - (7.6 \times 10^4)^2]}$ oe Or M1 for $\pm(2.1 \times 10^5)^2 \pm (7.6 \times 10^4)^2$ soi	
12 (a)	0.2 placed correctly 0.3 placed correctly three times	1 1		
(b)	0.29 oe	3	In (a) and (b) -1 once for poor notation M2 for $0.5 \times 0.4 + 0.3 \times 0.3$ oe Or M1 for 0.5×0.4 or 0.3×0.3 oe	Eg 0.29/1 etc With no extra Seen separately
(c)	0.33 oe nfw	3	M2 for $0.5 \times 0.3 + 0.3 \times 0.4 +$ their 0.2×0.3 oe Or M1 for 0.5×0.3 or 0.3×0.4 or their 0.2×0.3 oe	With no extra Seen separately
13 (a)	8	3	$\frac{20}{}$ M2 for $6 \times \frac{20}{15}$ oe Or M1 for $\frac{20}{15}$ or $\frac{15}{20}$ oe seen	Do not allow 8 after 7.9... For M2 or M1 condone 1.3[3..] for 20/15
(b)	295 to 298	3	$\frac{700}{}$ M2 for their $(20/15)^3$ oe Or M1 for their $(20/15)^3$ or their $(15/20)^3$ oe	
14	-3.73 and -0.27	3	B2 for one value correct	

Question		Answer	Marks	Part Marks and Guidance	
				Or SC2 for -0.26794919 rot and -3.7320508 rot both seen $\frac{-4 \pm \sqrt{4^2 - 4 \times 1 \times 1}}{2 \times 1}$ Or M1 for oe Or for $(x + 2)^2 - 4 + 1 [=0]$	Both rot to at least 1 decimal place
15		50400 nfw	3	M2 for using 406750 <u>and</u> 356350 Or B1 for 406750 <u>or</u> 356350	For M2 or B1 condone use of 406749[.9..]
16	(a)	1, __, 0.25, 0.125, __, __	2	B1 for two values correct	Accept ¼, 1/8
	(b)	5 or 6 of <i>their</i> points correctly plotted <u>Curve</u> through <i>their</i> six points	1 FT1	$\pm \frac{1}{2}$ small square $\pm \frac{1}{2}$ small square. Continually decreasing curve. Not too thick or hairy.	
	(c)	1.2 to 1.4	1		

Question	Answer	Marks	Part Marks and Guidance
17	Attempt to equate or subtract $x^2 + 4x - 12 [= 0]$ $(x + 6)(x - 2)$ $x = -6$ and $x = 2$ $y = -5$ and $y = 11$	M1 A1 M2FT B1 B1	Mark best attempt <u>FT for <i>their</i> 3 term quadratic – not the original</u> $\frac{-4 \pm \sqrt{(4^2 - 4 \times 1 \times -12)}}{2 \times 1}$ Or for $-2 \pm \sqrt{16}$ oe Or M1FT for $(x \pm 6)(x \pm 2)$ seen or for $4^2 - 4 \times 1 \times -12$ seen or for $(x + 2)^2 - 4 - 12 [=0]$ <u>After B0</u> SC1 for one correct x,y pair

Question		Answer	Marks	Part Marks and Guidance	
18	(a)	106.225...rot to at least 1dp	3	<p>Mark best attempt</p> $\frac{10^2 + 17^2 - 22^2}{2 \times 10 \times 17}$ <p>M2 for oe</p> <p>Or M1 for $22^2 = 10^2 + 17^2 - 2 \times 10 \times 17 \times \cos x$ oe</p>	<p>M2 soi by -0.2794117647 rot Or -95/340</p>
	(b)	48.3 to 49	6	<p>M1 for $\frac{1}{2} \times 10 \times 17 \times \sin 106$ oe</p> <p>AND</p> $\frac{106}{360} \times \pi \times 6^2$ <p>M2 for oe</p> <p>Or B1 for $\frac{106}{360}$ or $\frac{360}{106}$ oe seen</p> <p>AND</p> <p>M1 for <i>their</i> triangle – <i>their</i> sector soi</p> <p>AND</p> <p>A1 for 81.6 to 82 Or for 33 to 33.3</p>	<p>Dep. on at least 1 previous M mark scored</p> <p>Accept 10.6π or better</p>

APPENDIX 1

Exemplar responses for question X

Response	Mark awarded

Exemplar responses for question Y

Response	Mark awarded

OCR (Oxford Cambridge and RSA Examinations)
1 Hills Road
Cambridge
CB1 2EU

OCR Customer Contact Centre

Education and Learning

Telephone: 01223 553998

Facsimile: 01223 552627

Email: general.qualifications@ocr.org.uk

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

Oxford Cambridge and RSA Examinations
is a Company Limited by Guarantee
Registered in England
Registered Office; 1 Hills Road, Cambridge, CB1 2EU
Registered Company Number: 3484466
OCR is an exempt Charity

OCR (Oxford Cambridge and RSA Examinations)
Head office
Telephone: 01223 552552
Facsimile: 01223 552553

© OCR 2014

