

**GCSE**

**Mathematics A**

Unit **A503/01**: Unit C (Foundation Tier)

General Certificate of Secondary Education

**Mark Scheme for June 2016**

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.




Mark schemes should be read in conjunction with the published question papers and the report on the examination.

OCR will not enter into any discussion or correspondence in connection with this mark scheme.

© OCR 2016

## SUBJECT-SPECIFIC MARKING INSTRUCTIONS

1. Annotations used in the detailed Mark Scheme.

Annotation	Meaning
	Correct
	Incorrect
<b>BOD</b>	Benefit of doubt
<b>FT</b>	Follow through
<b>ISW</b>	Ignore subsequent working (after correct answer obtained), provided method has been completed
<b>M0</b>	Method mark awarded 0
<b>M1</b>	Method mark awarded 1
<b>M2</b>	Method mark awarded 2
<b>A1</b>	Accuracy mark awarded 1
<b>B1</b>	Independent mark awarded 1
<b>B2</b>	Independent mark awarded 2
<b>MR</b>	Misread
<b>SC</b>	Special case
	Omission sign

These should be used whenever appropriate during your marking.

The **M**, **A**, **B** etc annotations must be used on your standardisation scripts for responses that are not awarded either 0 or full marks. It is vital that you annotate these scripts to show how the marks have been awarded. It is not mandatory to use annotations for any other marking, though you may wish to use them in some circumstances.

**M** marks are for using a correct method and are not lost for purely numerical errors.

**A** marks are for an accurate answer and depend on preceding **M** (method) marks. Therefore **M0 A1** cannot be awarded.

**B** marks are independent of **M** (method) marks and are awarded for a correct final answer or a correct intermediate stage.

**SC** marks are for special cases that are worthy of some credit.

2. Unless the answer and marks columns of the mark scheme specify **M** and **A** marks etc, or the mark scheme is 'banded', then if the correct answer is clearly given and is not from wrong working **full marks** should be awarded.

Do not award the marks if the answer was obtained from an incorrect method, ie incorrect working is seen and the correct answer clearly follows from it.

3. Where follow through (FT) is indicated in the mark scheme, marks can be awarded where the candidate's work follows correctly from a previous answer whether or not it was correct. Figures or expressions that are being followed through are sometimes encompassed by single quotation marks after the word '*their*' for clarity, eg FT  $180 \times (\textit{their} '37' + 16)$ , or FT  $300 - \sqrt{\textit{their} '5^2 + 7^2'}$ . Answers to part questions which are being followed through are indicated by eg FT  $3 \times \textit{their} (a)$ . For questions with FT you must ensure that you refer back to the relevant previous answer. You may find it easier to mark follow through questions candidate by candidate rather than question by question.
4. Where dependent (dep) marks are indicated in the mark scheme, you must check that the candidate has met all the criteria specified for the mark to be awarded.
5. The following abbreviations are commonly found in GCSE Mathematics mark schemes.
- cao** means **correct answer only**.
  - figs 237**, for example, means any answer with only these digits. You should ignore leading or trailing zeros and any decimal point eg 237000, 2.37, 2.370, 0.00237 would be acceptable but 23070 or 2374 would not.
  - isw** means **ignore subsequent working** (after correct answer obtained).
  - nfw** means **not from wrong working**.
  - oe** means **or equivalent**.
  - rot** means **rounded or truncated**.

- vii. **seen** means that you should award the mark if that number/expression is seen anywhere in the answer space, including the answer line, even if it is not in the method leading to the final answer.
  - viii. **soi** means **seen or implied**.
6. Make no deductions for wrong work after an acceptable answer unless the mark scheme says otherwise, indicated for example by the instruction 'mark final answer'.
  7. As a general principle, if two or more methods are offered, mark only the method that leads to the answer on the answer line. If two (or more) answers are offered, mark the poorer (poorest).
  8. When the data of a question is consistently misread in such a way as not to alter the nature or difficulty of the question, please follow the candidate's work and allow follow through for **A** and **B** marks. Deduct 1 mark from any **A** or **B** marks earned and record this by using the **MR** annotation. **M** marks are not deducted for misreads.
  9. Unless the question asks for an answer to a specific degree of accuracy, always mark at the greatest number of significant figures even if this is rounded or truncated on the answer line. For example, an answer in the mark scheme is 15.75, which is seen in the working. The candidate then rounds or truncates this to 15.8, 15 or 16 on the answer line. Allow full marks for the 15.75.
  10. If the correct answer is seen in the body and the answer given in the answer space is a clear transcription error allow full marks unless the mark scheme says 'mark final answer' or 'cao'. If the answer is missing, but the correct answer is seen in the body allow full marks. If the correct answer is seen in working but a completely different answer is seen in the answer space, then accuracy marks for the answer are lost. Method marks would still be awarded.
  11. Ranges of answers given in the mark scheme are always inclusive.
  12. For methods not provided for in the mark scheme give as far as possible equivalent marks for equivalent work. If in doubt, consult your Team Leader.
  13. Anything in the mark scheme which is in square brackets [...] is not required for the mark to be earned, but if present it must be correct.

## MARK SCHEME

Question			Answer	Marks	Part Marks and Guidance	
1			Likely Unlikely Impossible	3	B1 for each	In this order
2	(a)		$22 \times 35 = 770$ or $35 \times 22 = 770$	1		
	(b)	(i)	83.05	1		Accept 83.1 after 83.05 seen
		(ii)	$\frac{1}{12}$ cao	1		Do not accept equivalents
		(iii)	2.7 cao	2	B1 for 2.69[...] or 2.70 or $\frac{520}{193}$ After 0 scored SC1 for answer 1.7	
3	(a)		(-3, -4)	1		
	(b)	(i)	Point marked at anything directly south of (1, -4)	2	B1 for point marked at (1, y) where $-4 \leq y < 0$	Allow non-integer points If no point marked allow feedback marks from their coordinates in part (b)(ii). Mark intention if F used only and no 'dot'
		(ii)	Coordinates written for their marked point	1FT	If no point marked then allow mark for (1, y) for $y < -4$	

Question			Answer	Marks	Part Marks and Guidance	
4	(a)	(i)	Correct cube	2	<b>B1</b> for 3 additional correct lines added to drawing	2mm acc Condone dotted or fainter hidden edges shown for 2 marks
		(ii)	answer should be 27 or explains clearly the error in the calculation oe units should be cm <sup>3</sup> oe	1 1		
	(b)		6 8 12	3	<b>B1</b> for each	
5	(a)	(i)	-4	1		
		(ii)	33	1		Condone £0.33
	(b)		-7 and 11	2	<b>B1</b> for a pos and neg value with a sum of 4 or a difference of 18	
6	(a)	(i)	2650	1		
		(ii)	[0].53[0]	1		
	(b)		13 and 50	3	<b>B2</b> for 13 with remainder less than 150 or no remainder or 13. .... Or <b>M1</b> for 2000 or [0].15[0] seen	
7	(a)	(i)	F	1		
		(ii)	E	1		
		(iii)	B	1		

Question			Answer	Marks	Part Marks and Guidance	
	(b)		No orange and total = 60 and red = blue where $10 \leq \text{red} \leq 16$	<b>3</b>	<b>B1</b> for number of red = number of blue where $10 \leq \text{red} \leq 16$ And <b>B1</b> for no orange	e.g. 3 for Red 16 Blue 16 Green 28 2 for Green 26 Blue 10 Red 10 1 for Green 30, Orange 2, Red 12, Blue 12
<b>8</b>	(a)	(i)	$18b$	<b>1</b>	Mark final answer	In part (a), penalise first occurrence of poor notation e.g. $18 \times b$ , $b18$ etc
		(ii)	$8x$	<b>1</b>	Mark final answer	
		(iii)	$4m^2$	<b>1</b>	Mark final answer	
		(iv)	$9y$	<b>1</b>	Mark final answer	
	(b)	(i)	36	<b>1</b>		Throughout (b), accept answers embedded in original equation
		(ii)	3.5 oe	<b>1</b>		
		(iii)	-4	<b>2</b>	<b>M1</b> for $7x = -23 - 5$ or $23 + 5 = -7x$ or better	
<b>9</b>	(a)	(i)	4	<b>1</b>		
		(ii)	10.2 to 10.7	<b>1</b>		
	(b)		2 2 4	<b>3</b>	<b>B1</b> for each	
	(c)		Size of angles	<b>1</b>	Accept both have a right angle	Condone 'angles' Not 'same shape'
<b>10</b>			4 [h] 29 [min]	<b>2</b>	<b>M1</b> for 4 hrs $k$ mins ( $0 < k < 60$ ) or for $p$ hrs 29 mins ( $0 < p < 6$ )	



Question		Answer	Marks	Part Marks and Guidance	
11		5	3	M2 for $\sqrt{\frac{200}{8}}$ or M1 for $200 \div 8$ oe	soi by 25
12	(a)	48	1		
	(b)	$12x - 4$	1	Mark final answer	
13		42.38 or 42.39	5	B4 for answer 42.388..... or answer 42.4[0] or 42 Or M3 for $(720 \times 1.19 - 800) \div 1.34$ isw Or M2 for $720 \times 1.19 - 800$ isw Or M1 for $720 \times 1.19$ or a division by 1.34 soi	soi by 56.8[0] soi by 856.8[0]oe
14	(a)	12.5	3	M2 for $63 \div 1.12 \div 4.5$ oe Or M1 for $63 \div 1.12$ or $1.12 \times 4.5$ or for division by 4.5 soi	soi by 56.25 or 5.04
	(b) (i)	8.00 to 8.30 Uneven line oe or speed not constant oe	1 1	Indep	Must refer to the uneven line or speed not constant oe in some way isw incorrect statements
	(ii)	31	1		
	(iii)	30	1		
	(c)	Any line starting at (0930, 40) and finishing at (10.36, 0)	2	B1 for any line starting at (0930, 40) and finishing at $(k, 0)$ where $k > 10\ 30$	Line can be curved, wiggly, stepped etc, but not vertical

Question			Answer	Marks	Part Marks and Guidance	
	(d)	(i)	80 × 1.6 oe [=128] Or 128 ÷ 1.6 oe = 80	1	Accept use of 1.60[9] or 1.61	eg Accept $80 \div \frac{5}{8}$ oe <b>Not</b> 128 ÷ 80 = 1.6 or from using 128 ÷ 80 = 1.6
		(ii)	11 nfw	3	<b>B2</b> for 10.66.... rot to at least 3 sf Or <b>M1</b> for 128 ÷ 12 After 0 scored <b>SC1</b> for answer 7	from 80 ÷ 12 rounded to nearest integer
15	(a)		3.70	1		
	(b)		5 : 4 or 1.25 : 1 or 1 : 0.8	2	<b>M1</b> for 2.7[0] : 2.16 or better <u>After zero scored</u> <b>SC1</b> for answer 4 : 5	For M1 ignore units
16	(a)	(i)	$\frac{3}{8}$	2	<b>M1</b> for $\frac{12}{32}$ oe	
		(ii)	5 nfw	3	<b>M1</b> for 27×0.18 oe <b>And A1</b> for 4.86	
		(iii)	12	2	<b>M1</b> for $\frac{2}{5} \times 30$ soi	
	(b)	(i)	0.18 oe	2	<b>M1</b> for 1– (0.4 + 0.17 + 0.25) soi by answer 0.54	In (b)(i), (ii) : ignore qualifying words : ignore any conversion attempts : –1 once for poor notation e.g. $\frac{0.42}{1}$ ratio etc

Question			Answer	Marks	Part Marks and Guidance	
		(ii)	0.42 oe	2	M1 for $0.25 + 0.17$ oe	
		(iii)	255	2	M1 for $0.17 \times 1500$ oe	Ignore rounding after correct answer

Question		Answer	Mark	Answer
17*				Eg. Rectangle oe = $9 \times 6$ [Semi-]circle oe = $\frac{1}{2} \times \pi \times 3^2$ oe [Total area] = $2 \times (9 \times 6) - \frac{1}{2} \times \pi \times 3^2$ oe = 93.86 to 94 $\text{cm}^2$
		93.86 to 94 with commentary	<b>5-4</b>	93.86 to 94 with no/poor commentary
		$2 \times (9 \times 6) - \frac{1}{2} \times \pi \times 3^2$ oe	<b>3-2</b>	$\frac{1}{2} \times \pi \times 3^2$ oe <b>OR</b> $9 \times 6$ <u>and</u> $\pi \times 3^2$ oe
		$9 \times 6$ <u>or</u> $\pi \times 3^2$ oe	<b>1-0</b>	No worthy work.
		$\text{cm}^2$ with <i>their</i> final answer	<b>AND</b> <b>1</b>	

Question		Answer	Marks	Part Marks and Guidance	
<b>18</b>	(a)	Large number of trials oe	<b>1</b>		
	(b)	$\frac{123}{500}$ isw or 0.246 or 24.6%	<b>2</b>	<b>B1</b> for 500 seen <b>Or M1</b> for $\frac{123}{\text{their}500}$	
	(c)	-Fair <u>and</u> frequencies approx. same oe - All approx. $\frac{1}{4}$ of 500 (125)	<b>1</b> <b>1indep</b>	Or -Fair <u>and</u> all probabilities approx. same oe -All approx. 0.25 oe	See appendix 2

**OCR (Oxford Cambridge and RSA Examinations)**  
1 Hills Road  
Cambridge  
CB1 2EU

**OCR Customer Contact Centre**

**Education and Learning**

Telephone: 01223 553998

Facsimile: 01223 552627

Email: [general.qualifications@ocr.org.uk](mailto:general.qualifications@ocr.org.uk)

[www.ocr.org.uk](http://www.ocr.org.uk)

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

**Oxford Cambridge and RSA Examinations**  
is a Company Limited by Guarantee  
Registered in England  
Registered Office; 1 Hills Road, Cambridge, CB1 2EU  
Registered Company Number: 3484466  
OCR is an exempt Charity

**OCR (Oxford Cambridge and RSA Examinations)**  
Head office  
Telephone: 01223 552552  
Facsimile: 01223 552553

© OCR 2016

